

# Work Order ID 56931

March 15, 2010 9:58:45 AM



Page 1

Item ID: D3589-3

Revision ID:

Item Name: ARM GUIDE

Start Date: 15/03/2010 Start Qty: 20.00

Required Date: 31/03/2010 Req'd Qty: 20.00

Reference:

Accept



Setup Start



Stop



Cust Item ID:

Customer:

Approvals:

Process Plan: *PL*

Date: *10-3-15* Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run

Start



Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

Draw Nbr

Revision Nbr

D3589

Rev B

100



Hardinge

Hardinge CNC Lathe Small

0.00

Memo

0.00

1-TURN AS PER FOLIO FA754 & DWG D3589

FOLIO REV: *B*

DWG REV: *SA 10/03/15*

2-DEBURR AS REQUIRED

*20* *φ*

110



QC

Quality Control

QC2- Inspect parts off machine FAI/FAIB

0.00

Memo

0.00

*SA 10/03/15*

*20* *φ*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Work Order ID 56931

March 15, 2010 9:58:45 AM



Page 2

Item ID: D3589-3

Accept



Setup Start



Revision ID:

Stop



Item Name: ARM GUIDE

Start Date: 15/03/2010 Start Qty: 20.00



Required Date: 31/03/2010 Req'd Qty: 20.00



Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

120

QC8- Inspect parts - second check

0.00

*smk 10/03/15*

*20*

*0*



QC

Quality Control

Memo

0.00

130

~~Receive & Inspect for Damage & Mat'l Cnts~~

0.00

*I.A. Stock*

*10.03.16*

0.00



Packaging

Packaging

Memo

*WIP*

*0*

*10-3-16*

*(x20)*

140

QC21- Final Inspection - Work Order Release

0.00



QC

Quality Control

Memo

0.00

*10/03/17*

*MF 10-3-16*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

March 15, 2010 9:58:50 AM

Page 1

Work Order ID: 56931

Parent Item: D3589-3

Parent Item Name: ARM GUIDE

Comments: IPP Rev:A 08-05-29 new issue DD verified by:EC  
09-02-20 rev.b asper dwg DD verified by:EC

iPP Rev:B

Start Date: 15/03/2010

Required Date: 31/03/2010

Start Qty: 20.00

Required Qty: 20.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
M304RO-750 304 SS Roundbar 750	6-500 1005-25	Purchased	No			100	f	27.7060	1.0526			

## Warehouse

### Location

Main Warehouse

MAT

113216  
113457

## Loc Qty

27.706  
11.506  
16.2

## Loc Code

113006

1.3 Lt SA 12/05/15

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries





W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries






**D3589-041 LATCH ASSEMBLY**



**DETAIL A: LINK ASSEMBLY DETAIL**  
SCALE 2X  
2 PL



**DETAIL B: WELDING AND  
LINK ASSEMBLY DETAIL**  
SCALE 2X  
2 PL

QTY. -041	P/N	DESCRIPTION
X	D3589-041	LATCH ASSEMBLY
1	D3589-045	AFT PLATE WELDMENT
1	D3589-043	FORWARD PLATE WELDMENT
1	D3589-1	ARM
2	D3589-3	ARM GUIDE
2	D3589-13	LUG
2	D3589-15	LINK
4	AN960JD4	WASHER
2	MS20392-1C7	PIN
2	MS24665-1010	COTTER PIN

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 50931  
P/10-3-15

RELEASED  
07/25/11

0.99 AND 0.63 REF WERE 1.97 AND 0.60 (ZN C8-2); 0.50 WAS 1.89 (ZN C3-2); 0.75 REF REPLACES 2.01 (ZN C2-2); 2.8" WAS 15" (ZN B2-2); 19.00 WAS 18.88 (ZN D4-4); REDESIGNED D3589-9 (ZN A6-6) AND D3589-11F (ZN C2-3) REASON: REDESIGN FOR PROPER FIT AND TO MATCH TESTED CONFIGURATION		MB	08.06.25
A	NEW ISSUE	MB	08.06.29
REV.	DESCRIPTION	BY	DATE
DESIGN	JH		
DRAWN	JB		
CHECKED	PH		
MFG. APPR.	DS		
APPROVED	TH		
DE APPR.	TH		
DATE	08.06.25		

**DART AEROSPACE LTD**  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.  
**D3589**  
TITLE  
**LATCH ASSEMBLY**  
SCALE  
NTS

COPYRIGHT © 2008 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**D3589-041 NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-041" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.73 lbs
- 8) WELDING: PER DART QSI 004 USING DT9033
- 9) IDENTIFIED PARTS ARE LOOSE ON D3589-1 ARM
- 10) INSTALL COTTER PIN IN ACCORDANCE WITH MS33540

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_



Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


**NOTE:** Date & initial all entries



QTY -043	QTY -045	P/N	DESCRIPTION
X		D3589-043	FORWARD PLATE WELDMENT
	X	D3589-045	AFT PLATE WELDMENT
1	1	D3589-3	ARM GUIDE
1	1	D3589-7	AFT GUIDE PLATE
1		D3589-9	FORWARD GUIDE PLATE
1		D3589-11	FORWARD GUIDE PLATE



**D3589-043 FORWARD PLATE WELDMENT**



**D3589-045 AFT PLATE WELDMENT**

**D3589-043/-045 NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-0XX" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT:
  - D3589-043 = 0.22 lbs
  - D3589-045 = 0.10 lbs
- 8) WELDING: PER DART QSI 004 USING DT9033
- 9) FORM D3589-11 TO FIT D3589-9 MATING EDGE

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3589	SHEET 2 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	08.06.25	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W1056931

RELEASED  
09/02/05

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_



Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



**NOTE:** Date & initial all entries



QTY -047	QTY -049	P/N	DESCRIPTION
X		D3589-047	FORWARD GUIDE
	X	D3589-049	AFT GUIDE
1	1	D3589-5	LATCH GUIDE
1		D3589-17	FORWARD GUIDE PLATE
	1	D3589-19	AFT GUIDE PLATE



**D3589-047 FORWARD GUIDE**



**D3589-049 AFT GUIDE**

**D3589-047/-049 NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-0XX" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.07 lbs EACH
- 8) WELDING: PER DART QSI 004

**RELEASED**  
9/24/08

DESIGN	<del>1</del>	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA		
DRAWN	<del>1</del>			
CHECKED	<del>1</del>		DRAWING NO.	REV. B
MFG. APPR.	<del>1</del>		D3589	SHEET 3 OF 8
APPROVED	<del>1</del>		TITLE	SCALE
DE APPR.	<del>1</del>		LATCH ASSEMBLY	NTS
DATE	08.06.25		COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries








0.03 X 45°  
CHAMFER  
2 PL




**D3589-1 ARM**



**D3589-3 ARM GUIDE**



0.03 X 45°  
CHAMFER  
2 PL



**D3589-5 LATCH GUIDE**

**D3589-1/-3/-5 NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SEAMLESS ROUND TUBING  
D3589-1: 0.375 O.D. X 0.065 WALL (REF. DART SPEC M304TR0.375W.065)  
D3589-3: 0.500 O.D. X 0.058 WALL (REF. DART SPEC M304TR0.500W.058)  
D3589-5: 0.500 O.D. X 0.049 WALL (REF. DART SPEC M304TR0.500W.049)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: - D3589-1 = 0.34 lbs  
- D3589-3 = 0.01 lbs  
- D3589-5 = 0.06 lbs

w/o 54931

**RELEASED**  
9/2/05

DESIGN	JH	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	JB		
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	DS	D3589	SHEET 4 OF 8
APPROVED	AD	TITLE	SCALE
DE APPR.	AT	LATCH ASSEMBLY	NTS
DATE	08.06.25	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS TO BE KEPT UNDER LOCK AND KEY AND NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries






**D3589-7F AFT GUIDE PLATE  
FLAT PATTERN**



**D3589-7 AFT GUIDE PLATE**  
MAKE FROM D3589-7F



**D3589-7F-7F NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH  
16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.09 lbs

**RELEASED**  
09/23/25 MPD

DESIGN	<del>JA</del>	<b>DART AEROSPACE LTD</b>	
DRAWN	<del>JA</del>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<del>PH</del>	DRAWING NO.	REV. B
MFG. APPR.	<del>PH</del>	D3589	SHEET 5 OF 8
APPROVED	<del>JA</del>	TITLE	SCALE
DE APPR.	<del>JA</del>	LATCH ASSEMBLY	NTS
DATE	08.06.25	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries






**D3589-9 FORWARD GUIDE PLATE**



**D3589-11F FORWARD GUIDE PLATE**  
**FLAT PATTERN**



**D3589-11 FORWARD GUIDE PLATE**  
(MAKE FROM D3589-11F)

**D3589-9/-11/-11F NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET,  
PER AMS 5513 OR AMS 5524,  
OR MIL-S-5059 (ANNEALED) 2B FINISH  
16 GAUGE (0.063 THICK),  
(REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS  
OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.09 lbs EACH
- 8) CONTROL SHAPE PER DT9021 TEMPLATE

DESIGN	<i>JA</i>	<b>DART AEROSPACE LTD</b>	
DRAWN	<i>JA</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>PS</i>	DRAWING NO.	REV. <i>B</i>
MFG. APPR.	<i>PS</i>	D3589	SHEET 6 OF 8
APPROVED	<i>JA</i>	TITLE	SCALE
DE APPR.	<i>JA</i>	FORWARD GUIDE PLATE	NTS
DATE	08.06.25	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR FOR DISSEMINATION TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

**RELEASED**  
9/2/07

W/036931

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries





**D3589-13 LUG**



**D3589-15 LINK**

**D3589-13/15 NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH 16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs EACH

**RELEASED**  
09/02/05 MTP

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		<b>D3589</b>	SHEET 7 OF 8
APPROVED		TITLE	SCALE
DE APPR.		<b>LATCH ASSEMBLY</b>	NTS
DATE	<b>08.06.25</b>	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries





W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries